

**=> IFW:      Scan as Doc Code: SRNT    <=  
                 Doc Date:**

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

### **Serial Number:**

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

Day : Tuesday  
Date: 3/28/2006

Time: 15:36:46

**PALM INTRANET**

## Inventor Information for 10/620689

Inventor Name	City	State/Country
CHO, OK-KYUNG	SCHWERTE	GERMANY
KIM, YOON-OK	SCHWERTE	GERMANY

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)Search Another: Application#   or Patent#  PCT /  /   or PG PUBS #  Attorney Docket #  Bar Code #  

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

19850115	5	US 4493866 A	Cosmetic towel	428/101	15/118; 15/210.1; 604/378; 604/384; 604/385.01	Kim; Yoon H.
19851015		US 4546516 A	Cosmetic towel	15/210.1	112/410; 112/420; 112/441; 428/101; 428/88; 428/91; 604/378; 604/384; 604/385.01	Kim; Yoon H.
19870331	6	US 4653194 A	Composite-type ruler	33/429	33/451; 33/DIG.1	Kim; Yoon H.
19900918		US 4957773 A	Deposition of boron-containing films from decaborane	427/570	257/E21.148; 257/E21.292; 427/255.38; 427/255.394; 427/572; 427/573; 427/574	Spencer; James T. et al.
19920225		US 5090099 A	Method for manufacturing multilayer ceramic capacitor	29/25.42	427/81	Kim; Yoon Ho et al.
19931130		US 5267152 A	Non-invasive method and apparatus for measuring blood glucose concentration	600/316	250/339.09; 250/339.12; 250/341.5; 250/341.8; 356/39; 600/322	Yang; Won S. et al.
19940301		US 5291354 A	Lid opening mechanism for a digital audio tape cassette	360/96.5	360/93	Kim; Yoon B.
19940517		US 5311651 A	Method for manufacturing multi-layer ceramic capacitor	29/25.42	361/309; 361/310	Kim; Yoon Ho et al.
19941220		US 5375002 A	Color error diffusion	358/521	358/3.03; 358/448; 358/523; 358/530	Kim; Seo- Kyu et al.
19941227		US 5376606	Light-transmissive	501/153	264/674;	Kim; Yoon

		A	polycrystalline alumina ceramics		264/681; 501/127	H. et al.
19950103		US 5378667 A	Intercrystalline semiconductive ceramic capacitor	501/136		Kim; Yoon H. et al.
19950711		US 5432134 A	Microwave dielectric ceramic composition	501/134		Park; Yung et al.
19950926		US 5453907 A	Composition and method for making an intergranular insulation type semiconductive ceramic capacitor	361/321.1	361/321.3; 501/135	Kim; Yoon H. et al.
19960213		US 5491806 A	Optimized translation lookaside buffer slice having stored mask bits	711/207	711/209	Horstmann; Jens et al.
19960423		US 5510129 A	Potassium bromate replacer composition	426/62	426/19; 426/24; 426/26	Kim; Yoon J.
19960514		US 5516371 A	Method of manufacturing magnets	148/104	148/101	Kim; Yoon- Bae et al.
19960618		US 5527749 A	Dielectric ceramic composition for high frequencies and method for preparation of the same	501/134		Park; Yung et al.
19960723		US 5538928 A	Dielectric ceramic composition for high frequencies and method for preparation of the same	501/134	252/519.12; 264/661	Park; Yung et al.
19960806		US 5542385 A	Intake manifold for an internal combustion engine	123/184.52	123/188.4	Kim; Yoonsuk
19960813		US 5546555 A	Optimized translation lookaside buffer slice having stored mask bits	711/207	365/49	Horstmann; Jens et al.
19960820		US 5546898	Device for	123/90.1	123/65PD;	Kim;

		A	controlling the flow of intake and exhaust gases in an internal combustion engine		123/65VD	Yoonsuk
19960917		US 5555865 A	Air flow control device for an internal combustion engine	123/184.56		Kim; Yoon-Suk
19961001		US 5561090 A	Dielectric ceramic composition for high frequencies and method for preparation of the same	501/134		Park; Yung et al.
19961210		US 5582147 A	Combustion chamber for internal combustion engine having multiple valves	123/302	123/661	Kim; Yoonsuk
19970114		US 5592917 A	Intake air control device for an internal combustion engine	123/308		Kim; Yoonsuk
19970121		US 5595934 A	Method for forming oxide protective film on bonding pads of semiconductor chips by UV/O.sub.3 treatment	438/768	257/E23.02; 438/123; 438/127	Kim; Yoon S.
19970128		US 5597769 A	Dielectric ceramic composition for boundary layer condensers and a method for preparing the same	501/136	501/21; 501/32	Kim; Yoon H. et al.
19970211		US 5601062 A	Intake system for engine	123/306		Kim; Yoonsuk
19970819		US 5657731 A	Device for adjusting flow through an intake	123/336		Kim; Yoonsuk
19971021		US 5680410 A	Modified semiconductor laser diode having an	372/34	372/36	Kim; Yoon-Ok et al.

			integrated temperature control element			
19971021		US 5680291 A	Low-temperature sinterable dielectric composition with high dielectric constant and multi-layered ceramic capacitor using the same	361/321.4	361/321.1; 361/321.5; 501/134; 501/135; 501/136	Kim; Yoon-Ho et al.
19980127		US 5712690 A	Apparatus and method for diagnosing received broadcast signals using sync signals and signal level	348/570	348/569	Kim; Yoon-kil
19980407		US 5737454 A	Facsimile system having a function of processing a personal message and a method therefor	382/284	358/405; 358/438; 358/450; 380/243	Park; You-Il et al.
19980616		US 5767030 A	High frequency dielectric ceramic composition and fabrication method thereof	501/136	501/137; 501/138	Kim; Hyo-Tae et al.
19980818		US 5796079 A	Rapid thermal processing method for ferroelectric, high dielectric, electrostrictive, semiconductive, or conductive ceramic thin film using microwaves	219/678	118/723MW; 118/725; 219/711; 219/762; 257/E21.272; 257/E21.324; 427/595	Kim; Tae-Song et al.
19980818		US 5795305 A	Process and device for non-invasive determination of glucose concentration in parts of the human body	600/549	600/316	Cho; Ok-Kyung et al.
19980825		US 5797365 A	Intake port device for an engine of a	123/184.56		Kim; Yoon-Taek

			vehicle			
19980929		US 5813598 A	Thermostat device for protecting an engine of a vehicle from overheating	236/34.5	236/DIG.2	Kim; Yoon-Taek
19990202		US 5866492 A	Low-temperature sinterable temperature compensating microwave dielectric ceramic composition	501/134	501/136	Kim; Hyo Tae et al.
19990629		US 5916141 A	Tandem master cylinder of brake system in an automobile	60/562	188/349; 303/9.62; 60/563; 60/574; 60/591	Kim; Yoon Taek
19990720		US 5924996 A	Process and device for detecting the exchange of heat between the human body and the invented device and its correlation to the glucose concentration in human blood	600/549	600/365	Cho; Ok Kyung et al.
19990824		US 5942145 A	Driving circuit of turntable motor in microwave oven	219/754	219/715; 219/757; 219/760	Jeon; Nam-Sik et al.
19991005		US 5963619 A	External incoming call switching method in automatic answering telephone subscribed in incoming call switching service	379/88.23	379/211.02	Kim; Yoon-Hyang
19991026		US RE36355 E	Potassium bromate replacer composition	426/19	426/24; 426/25; 426/26; 426/62	Kim; Yoon J.
19991026		US 5971768 A	Methods of fabricating integrated circuit	438/400	257/E21.038; 257/E21.258; 257/E21.549;	Kim; Yoon-gi

			trench isolation regions		438/229; 438/322	
20000425		US 6054800 A	Cathode for an electron gun	313/270	313/346DC; 313/346R	Joo; Gyu-Nam et al.
20000808		US 6099700 A	Surface acoustic wave filter employing AlN/AlN:H/AlN tri-layered film and a process for fabricating the same	204/192.18	204/192.15; 427/100	Lee; Jai-Young et al.
20000815		US 6101693 A	Method of manufacturing a multi-layered ceramic capacitor	29/25.42	361/321.5	Kim; Yoon Ho et al.
20000829		US 6110541 A	Chemical vapor deposition method and apparatus for highly textured diamond film formation	427/577	118/723E; 118/728; 427/249.8; 427/534	Lee; Jai-Young et al.
20000905		US 6114979 A	(N) bit (M) ternary coding circuit	341/57		Kim; Yoon Hak
20000926		US 6125433 A	Method of accomplishing a least-recently-used replacement scheme using ripple counters	711/160	711/136; 711/207; 711/219	Horstmann; Jens et al.
20001031		US 6140753 A	Cathode for an electron gun	313/346R		Joo; Gyu-Nam et al.
20010102		US 6167712 B1	Method for controlling a refrigerator having a direction control valve	62/113	62/180; 62/186; 62/197; 62/513	Lim; Jae-Hoon et al.
20010424		US 6221371 B1	Pseudoceramides, and dermatologic external preparations containing the same	424/401	424/400; 554/103; 554/108	Baik; In-sub et al.
20010703		US 6255764 B1	Electron gun cathode with a metal layer having a recess	313/346R	313/270; 313/346DC	Choi; Jong-Seo et al.
20010726		US	Cathode material	313/337		Choi, Jong-



		20010009348 A1	for electron beam apparatus			Seo et al.
20010925		US 6294424 B1	Method for fabricating a semiconductor device	438/243	257/E21.651; 257/E27.016; 438/152; 438/164; 438/241; 438/430	Kang; Won Jun et al.
20010925		US 6293136 B1	Multiple mode operated surface acoustic wave sensor for temperature compensation	73/19.03	310/313B; 310/313D; 73/24.03; 73/24.06; 73/31.06; 73/61.75; 73/61.79; 73/64.53	Kim; Yoonkee
20011004		US 20010026117 A1	Method for manufacturing an electron gun including a metal layer between a base metal and an electron emitting layer	313/310	313/346R; 445/51	Kim, Yoon- Chang et al.
20011016		US 6304844 B1	Spelling speech recognition apparatus and method for communications	704/257	704/231; 704/251; 704/255	Pan; James et al.
20011206		US 20010049203 A1	Method of forming SiOC thin film having low dielectric constant	438/778	257/E21.277	Kim, Hyeong J. et al.
20020115		US 6338624 B1	Automatic putting- out apparatus	431/33	236/1H; 431/317; 431/88	Kim; Yoon- Guk
20020314		US 20020030560 A1	Signal process apparatus for phase- shifting N number of signals inputted thereto	333/156	333/161	Kim, Duk- Yong et al.
20020425		US 20020049876 A1	Multimedia modular card, device for operating the same, and integrated	710/301		Hwang, Kyo-Jong et al.

			multimedia system			
20020425		US 20020047264 A1	Telescopic pipe and extendible suction pipe of vacuum cleaner using the same	285/7		Kim, Yoon-Ki
20020509		US 20020053103 A1	Toilet seat with twin protrusions having an egg shape	4/237		Kim, Yoon Hwan
20020521		US 6390877 B2	Method for manufacturing an electron gun including a metal layer between a base metal and an electron emitting layer	445/51	313/346R	Kim; Yoon-Chang et al.
20020530		US 20020065649 A1	Mel-frequency linear prediction speech recognition apparatus and method	704/219		Kim, Yoon
20020618		US 6408222 B1	Apparatus and a method for controlling thickness of a strip in a twin roll strip casting device	700/155	164/452; 700/156; 72/9.2	Kim; Yoon Ha et al.
20020702		US 6412286 B1	Storage box using a thermoelement and a cooling method for a storage box	62/3.6	62/441; 62/457.1	Park; Rae-Eun et al.
20020801		US 20020101146 A1	Metal cathode for electron tube	313/346R		Kim, Yoon-Chang et al.
20020815		US 20020110193 A1	Transcoding method and apparatus therefor	375/240.02		Yoo, Kook Yeol et al.
20020829		US 20020118620 A1	Optical recording medium with wobble header area, and data recording method and apparatus therefor	369/53.21	369/116; 369/275.3; 369/275.4	Lee, Kyung-geun et al.
20020924		US 6454308 B1	Telescopic pipe and extendible suction	285/7	285/303; 285/423;	Kim; Yoon-ki

			pipe of vacuum cleaner using transparent material		285/93	
20020926		US 20020136148 A1	Near-field optical storage medium and optical data storage system therefor	369/112.24	369/300	Lee, Chul-Woo et al.
20020926		US 20020136146 A1	Near-field optical storage medium and optical data storage system therefor	369/112.23	369/300	Lee, Chul-Woo et al.
20021024		US 20020153819 A1	Metal cathode and indirectly heated cathode assembly having the same	313/337		Seo, Dong-Kyun et al.
20021128		US 20020175572 A1	Skeleton type brushless motor	310/49R	310/216; 310/254; 310/261	Cho, Kwan Yeul et al.
20021219		US 20020190595 A1	Single phase line start permanent magnet synchronous motor	310/156.53	310/156.57; 310/162	Han, Seung Do et al.
20030102		US 20030000543 A1	Cosmetic container	132/313		Kim, Yoon-Hoi
20030107		US 6504450 B2	Signal process apparatus for phase-shifting N number of signals inputted thereto	333/156	333/161	Kim; Duk-Yong et al.
20030109		US 20030005528 A1	Dye-accelerant composition and process for using same	8/541		Jung, James et al.
20030128		US 6511632 B1	Cathode material of electron beam device and preparation method thereof	420/461	219/146.21; 219/146.22; 420/590	Choi; Jong-Seo et al.
20030204		US 6513191 B1	Device for adjusting suction pipe length of a vacuum cleaner	15/414	285/7	Kim; Yoon-ki
20030213		US 20030031810 A1	Method to prevent specks or hairline cracks in, and	428/34.1	427/430.1	Kim, Yoon Sam

			premature failure of, airplane cylinder barrels			
20030304		US 6528361 B1	Process for preparing a polycrystalline silicon thin film	438/166	257/E21.133; 438/486; 438/487	Ahn; Byung-Tae et al.
20030313		US 20030050382 A1	Method for synthesis of exfoliated polymer/silicate nanocomposite	524/492	524/525; 524/558; 526/218.1; 526/227	Choi, Yeong Suk et al.
20030508		US 20030084670 A1	Refrigerator for cosmetics and method of controlling the same	62/3.6	62/3.7	Kim, Yoon-Young et al.
20030701		US 6585832 B2	Method to prevent specks or hairline cracks in, and premature failure of, airplane cylinder barrels	148/243	123/193.1; 123/193.2; 123/669; 148/284; 148/287	Kim; Yoon Sam
20030701		US 6584621 B2	Toilet seat with twin protrusions having an egg shape	4/237		Kim; Yoon Hwan
20030724		US 20030137317 A1	Test systems for semiconductor devices	324/765		Kim, Yoon-Min et al.
20030805		US 6602304 B2	Dye-accelerant composition and process for using same	8/543	8/576; 8/594; 8/602; 8/611; 8/617; 8/930	Jung; James et al.
20030904		US 20030164496 A1	Organic electroluminescent display device and method of manufacturing the same	257/40		Do, Young-rag et al.
20030911		US 20030171382 A1	Pharmaceutical composition for regeneration of cirrhotic liver	514/255.05		Kim, Sang-Geon et al.
20030916		US 6621787 B1	Optical storage medium having protective layer	369/275.1	369/283; 369/288; 428/64.1;	Lee; Chul-Woo et al.

			thicker than wavelength of useable light source		428/817; 428/820.5	
20031023		US 20030196507 A1	Column-type shift lever structure for automatic transmission with manual shifting mode	74/473.32	74/473.18	Kim, Yoong Kwang
20031211		US 20030226363 A1	Refrigerator for cosmetics and control method thereof	62/3.6	62/3.7	Lee, Jae-Seung et al.
20040316		US 6707216 B2	Single phase line start permanent magnet synchronous motor	310/211	310/156.78; 310/156.82	Han; Seung Do et al.
20040406		US 6715299 B2	Refrigerator for cosmetics and method of controlling the same	62/3.6	62/3.7	Kim; Yoon-Young et al.
20040413		US 6720023 B1	Method for preparation of the supersaturated solution of calcium phosphate and the thin film of calcium phosphate crystal by using the solution	427/2.27	423/308; 423/309; 423/311	Kim; Hyun-Man et al.
20040429		US 20040080311 A1	Integrated circuit test system and method	324/158.1		Kim, Yoon-Min et al.
20040506		US 20040083746 A1	Cooling apparatus	62/198	62/525	Kim, Chang-Nyeun et al.
20040513		US 20040089072 A1	Methods and apparatus for measuring flexural wave and/or flexural vibration using a magnetostrictive sensor	73/658	324/234	Kim, Yoon Young et al.
20040601		US 6743744	Low temperature	501/134	361/321.4;	Kim; Yoon-

		B1	sinterable and low loss dielectric ceramic compositions and method thereof		361/321.5; 501/136	Ho et al.
20040610		US 20040107727 A1	Time division multi-cycle type cooling apparatus and method for controlling the same	62/525	62/175; 62/504	Kim, Yoon-Young et al.
20040624		US 20040118141 A1	Refrigerator	62/258	62/441; 62/457.1; 62/457.9	Kim, Yoon-young et al.
20040706		US 6758053 B2	Cooling apparatus	62/198	62/204; 62/525	Kim; Chang-Nyeun et al.
20040713		US 6762544 B2	Metal cathode for electron tube	313/346DC	313/270; 313/337; 313/346R	Kim; Yoon-chang et al.
20040729		US 20040144774 A1	Microwave oven	219/680		Kim, Yoon Gon
20040803		US 6769260 B2	Refrigerator for cosmetics and control method thereof	62/3.6	62/259.2; 62/3.7	Lee; Jae-Seung et al.
20040826		US 20040163408 A1	Air circulation structure for a refrigerator machine room	62/428	62/455	Kim, Yoon-Young et al.
20040831		US 6785206 B1	Recording medium for storing linking type information and method of processing defective area using the same	369/47.14	369/275.3; 369/53.15; 369/53.2	Lee; Kyung-geun et al.
20040902		US 20040169465 A1	Thin film electroluminescence display device and method of manufacturing the same	313/506	313/498; 445/24	Do, Young-Rag et al.
20040907		US 6789120 B1	Real-time audio/video communication	709/227	370/352; 379/90.01; 379/93.35;	Lee; Hoon-ki et al.

			method for use on the internet and device therefor		709/204	
20040907		US 6788630 B1	Recording medium for storing linking type information, method of processing defective area using the same, and recording and/or reproducing apparatus therefor	369/47.14	369/13.25; 369/53.15	Lee; Kyung-geun et al.
20040907		US 6788629 B1	Recording medium for storing linking type information and method of processing defective area using the same	369/47.14	369/13.25; 369/53.15	Lee; Kyung-geun et al.
20040907		US 6787796 B2	Organic electroluminescent display device and method of manufacturing the same	257/40	257/98; 438/29	Do; Young-rag et al.
20040914		US 6792048 B1	Terminal supporting signaling used in transmission and reception of MPEG-4 data	375/240.26		Lee; Yung Lyul et al.
20040914		US 6791251 B2	Metal cathode and indirectly heated cathode assembly having the same	313/337	313/310; 313/311; 313/346DC; 313/346R	Seo; Dong-Kyun et al.
20040921		US 6794324 B1	Low temperature sinterable and low loss dielectric ceramic compositions and method thereof	501/134	361/321.4; 361/321.5; 501/136	Kim; Yoon-Ho et al.
20040923		US 20040183433 A1	Assembly of organic electroluminescence	313/504	313/506	Cho, Sang-Hwan et al.
20040928		US 6798732	Near-field optical	369/275.1	369/112.24;	Lee; Chul-

		B2	storage medium and optical data storage system therefor		369/283; 369/288; 428/64.1; 428/824.1	Woo et al.
20041005		US 6800990 B2	Cathode material including rare earth metal used as electron emission source for electron beam apparatus	313/346R	313/346DC	Choi; Jong-Seo et al.
20041005		US 6799582 B2	Cosmetic container	132/317	401/127; 401/129	Kim; Yoon-Hoi
20041026		US 6809452 B2	Skeleton type brushless motor	310/216	310/254; 310/49R	Cho; Kwan Yeul et al.
20041104		US 20040218500 A1	Near-field optical storage medium and optical data storage system therefor	369/94	369/13.33; 369/283	Lee, Chul-Woo et al.
20041111		US 20040225209 A1	Blood sugar level measuring apparatus	600/365	600/326; 600/549	Cho, Ok-Kyung et al.
20041111		US 20040223431 A1	Recording medium for storing linking type information, method of processing defective area using the same, and recording and/or reproducing apparatus therefor	369/47.14	369/53.17	Lee, Kyung-geun et al.
20041111		US 20040223430 A1	Recording medium for storing linking type information and method of processing defective area using the same	369/47.14	369/47.52; 369/53.17	Lee, Kyung-Geun et al.
20041111		US 20040223429 A1	Recording medium for storing linking type information and method of processing defective area using the same	369/47.14	369/53.17; 369/59.25; 714/8	Lee, Kyung-Geun et al.
20041111		US	Mascara brush	132/218		Kim, Yoon-



		20040221865 A1				Hoi
20041111		US 20040221685 A1	Method for manufacturing nano-scaled copper powder by wet reduction process	75/373		Jeong, In- Bum et al.
20041223		US 20040260165 A1	Blood sugar level measuring apparatus	600/365	600/324; 600/326; 600/483	Cho, Ok- Kyung et al.
20041223		US 20040256987 A1	Plasma display panel	313/582		Kim, Yoon- hyeo
20041228		US 6835531 B1	Phase change optical disc	430/270.13	369/275.2; 369/275.5; 428/64.5; 430/945	Yoon; Du- seop et al.
20041230		US 20040268122 A1	System and method for extending secure authentication using unique session keys derived from entropy generated by authentication method	713/159	380/247; 380/278; 713/171	Satarasinghe, Prasanna J. et al.
20050104		US 6838897 B2	Integrated circuit test system and method	324/760	324/158.1; 324/765	Kim; Yoon- Min et al.
20050106		US 20050000652 A1	Apparatus and method for treating edge of substrate	156/345.11		Nam, Chaqng- Hyeon et al.
20050111		US 6842030 B2	Test systems for low-temperature environmental testing of semiconductor devices	324/765	324/760	Kim; Yoon- Min et al.
20050113		US 20050010094 A1	Blood sugar level measuring apparatus	600/365	600/323; 600/549	Cho, Ok- Kyung et al.
20050118		US 6845421 B2	Multimedia modular card, device for operating the same, and integrated	710/305	710/309; 710/313	Hwang; Kyo-Jong et al.

			multimedia system			
20050127		US 20050016202 A1	Refrigerator having temperature controlled chamber	62/441	62/272; 62/408	Ko, Sung Bok et al.
20050203		US 20050026422 A1	Method of forming an insulating structure having an insulating interlayer and a capping layer and method of forming a metal wiring structure using the same	438/624	257/E21.576; 438/637; 438/761; 438/787	Kim, Yoon-Hae et al.
20050203		US 20050024979 A1	Metal-insulator-metal capacitor and interconnecting structure	365/232		Kim, Yoon-hae et al.
20050322		US 6868730 B2	Methods and apparatus for measuring flexural wave and/or flexural vibration using a magnetostrictive sensor	73/643	73/622	Kim; Yoon Young et al.
20050324		US 20050065415 A1	Optical measurement apparatus and blood sugar level measuring apparatus using the same	600/316	600/326	Cho, Ok-Kyung et al.
20050324		US 20050064845 A1	System and method for radius accounting for wireless communication networks	455/408		Clingerman, Stephen K. et al.
20050331		US 20050070777 A1	Blood sugar level measuring method and apparatus	600/365	600/326; 600/549	Cho, Ok-Kyung et al.
20050414		US 20050080324 A1	Blood sugar level measuring method and apparatus	600/365	128/920; 600/323; 600/549	Cho, Ok-Kyung et al.
20050414		US 20050080236	Novel anti-viral vsf protein and	530/351		Kim, Yoon-Won et al.

		A1	hybridoma producing the same			
20050426		US 6885625 B2	Near-field optical storage medium and optical data storage system therefor	369/112.23	369/13.28; 369/13.33; 369/275.1; 369/283; 369/288	Lee; Chul-Woo et al.
20050602		US 20050116625 A1	Electroluminescent display device and thermal transfer donor film for the electroluminescent display device	313/504	313/503; 313/506	Park, Jin-Woo et al.
20050609		US 20050124868 A1	Blood sugar level measuring apparatus	600/309		Cho, Ok-Kyung et al.
20050616		US 20050127496 A1	Bonding pads with dummy patterns in semiconductor devices and methods of forming the same	257/700	257/758; 257/E23.02; 438/622	Kwon, Ki-hyoun et al.
20050802		US 6924642 B1	Magnetorestrictive transducer for generating and measuring elastic waves, and apparatus for structural diagnosis using the same	324/240	324/220	Cho; Seung Hyun et al.
20050811		US 20050172665 A1	Time division multi-cycle type cooling apparatus and method for controlling the same	62/525	62/175; 62/504	Kim, Yoon-Young et al.
20050818		US 20050182311 A1	Blood sugar level measuring apparatus	600/365	600/549	Cho, Ok-Kyung et al.
20050818		US 20050182310 A1	Blood sugar level measuring apparatus	600/316	600/365; 600/549	Cho, Ok-Kyung et al.
20050818		US 20050179430 A1	Transducer for generating and measuring torsional waves, and	324/240		Park, Chan II et al.

			apparatus and method for structural diagnosis using the same			
20050823		US 6931870 B2	Time division multi-cycle type cooling apparatus and method for controlling the same	62/198	62/504	Kim; Yoon-Young et al.
20050825		US 20050187442 A1	Blood sugar level measuring apparatus	600/316	600/365	Cho, Ok-Kyung et al.
20050901		US 20050192492 A1	Blood sugar level measuring apparatus	600/316	600/365	Cho, Ok-Kyung et al.
20050901		US 20050192491 A1	Blood sugar level measuring apparatus	600/316	600/365	Cho, Ok-Kyung et al.
20050920		US 6945132 B2	Column-type shift lever structure for automatic transmission with manual shifting mode	74/473.12	74/335; 74/473.15; 74/473.18; 74/473.31	Kim; Yoong Kwang
20051011		US 6954661 B2	Blood sugar level measuring apparatus	600/316	600/322; 600/326	Cho; Ok-Kyung et al.
20051013		US 20050223801 A1	Apparatus for generating and measuring bending vibration in a non-ferromagnetic pipe without physical contact	73/573	73/576	Kim, Yoon Young et al.
20051110		US 20050251000 A1	Blood sugar level measuring apparatus	600/365	600/549	Cho, Ok-Kyung et al.
20051110		US 20050250999 A1	Blood sugar level measuring apparatus	600/365	600/309; 600/549	Cho, Ok-Kyung et al.
20051215		US 20050275618 A1	Pointing device	345/156		Juh, Sung Chul et al.
20051215		US 20050275327	Flat panel display	313/110	313/111	Song, Young-Woo

		A1				et al.
20060105		US 20060004268 A1	Blood sugar level measuring apparatus	600/315		Cho; Ok- Kyung et al.
20060112		US 20060009065 A1	Semiconductor device and method of manufacturing the same	439/395		Lee; Kyoung- Woo et al.
20060112		US 20060006778 A1	Organic electroluminescent display device and method for manufacturing the same	313/113	257/98; 257/E51.018; 313/506; 427/66; 428/163; 428/315.5; 428/332; 428/690; 428/917; 430/319	Lee; Joon- Gu et al.
20060119		US 20060015022 A1	Blood sugar level measuring apparatus	600/316	600/323	Cho; Ok- Kyung et al.
20060131		US 6990828 B2	Refrigerator	62/381	312/125; 312/135; 312/305; 62/255; 62/440	Kim; Yoon- young et al.
20060214		US 6999512 B2	Transcoding method and apparatus therefor	375/240.03		Yoo; Kook Yeol et al.
20060223		US 20060039686 A1	Line-of-sight-based authentication apparatus and method	396/18		Soh; Byung seok et al.
20060223		US 20060039308 A1	Mobile broadcast receiver and method for decoding broadcast service using the same	370/312	370/389; 370/535	Kim; Yoon Jung
20060223		US 20060037732 A1	Method of startup procedure of strip in the twin roll strip casting process	164/480	164/483	Kim; Yoon- Ha et al.
20060228		US 7007282 B1	Slave device and data sharing method	719/321		Lee; Jin-woo et al.
20060316		US	Inorganic	313/110	313/509	Song;

		20060055294 A1	electroluminescent display device and method of manufacturing the same			Young-Woo et al.
20060323	20	US 20060063990 A1	Blood sugar level measuring apparatus	600/316	600/365	Cho; Ok- Kyung et al.
20060323		US 20060063781 A1	Pharmaceutical composition for regeneration of cirrhotic liver	514/255.05		Kim; Sang- Geon et al.